EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	137881	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixela and sampl$3 cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:37
S2	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixela and sampl$3 same imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:26
S3	2356	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 and sampl$3 same imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:26
S4	1189	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 same sampl$3 same imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:26
S5	614	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:26
S6	23	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 with area with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:27
S7	154	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 with (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:28

S8	0	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 with determined near3 (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:28
S9	1	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 same determined near3 (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:29
S10	76	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 same (determin$3 or predetertermin$3) same (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:30
S11	90	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 same (determin$3 or predetermin$3) same (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:33
S12	38	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 with sampl$3 same (determin$3 or predetermin$3) same (area or space$1) with imag$2 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:32
S13	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 with sampl$3 same (determin$3 or predetermin$3) same (area or space$1) with imag$2 and cost$3 same print$3 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:34

S14	7	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and pixel$1 with sampl$3 same (determin$3 or predetermin$3) same (area or space$1) with imag$2 and cost$3 same print$3 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:33
S15	5	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 with sampl$3 same (area or space$1) with imag$2 and cost$3 same print$3 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:36
S16	74	"6831681"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 11:36
S17	1386	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 same sampl$3 and cost$3 same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:28
S18	38	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 same sampl$3 and cost$3 same print$3 same network$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:37
S19	98	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 and sampl$3 and print$3 with (cost$2 or pric$3) same (plurality or many or multiple) with printer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:21

EAST Search History

S20	71	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 and sampl$3 and print$3 with (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and (less or lessor or least or maxumum or high$3) near2 (cost$3 or pric$3 or fee or fees or charg$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:23
S21	9	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 same sampl$3 and print$3 with (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and (less or lessor or least or maxumum or high$3) near2 (cost$3 or pric$3 or fee or fees or charg$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:25
S22	34	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 same sampl$3 and print$3 with (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:28
S23	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and pixel$1 same sampl$3 and print$3 with (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:28
S24	52	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:29

S25	243578	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3 ans sampl$4 same pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:29
S26	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3 and sampl$4 same pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:30
S27	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3 and sampl$4 and pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:30
S28	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (plurality or many or multiple) with printer$1 and stencil$3 and sampl$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:51
S29	1	("7046383").URPN.	USPAT	OR	OFF	2007/12/22 13:41
S30	26	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 and (plurality or many or multiple) with printer$1 and stencil$3 and sampl$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:55

EAST Search History

S31	254	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 and (plurality or many or multiple) with printer$1 and sampl$4 near5 (pixel$1 or dot$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:11
S32	19	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 same (plurality or many or multiple) with printer$1 and sampl$4 near5 (pixel$1 or dot$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:57
S33	5	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with printing and network$3 same (plurality or many or multiple) with printer$1 and sampl$4 near5 (pixel$1 or dot$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:58
S34	5	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with printing and network$3 same (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:59
S35	142	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with printing and network$3 and (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 13:59

EAST Search History

S36	11	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with printing and network$3 and (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:39
S37	2741596	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with printing and network$3 and (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) cost	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:29
S38	1	"20060074816" and medium and section$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:25
S39	2741594	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) same (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) cost	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:30
S40	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) same (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:30

EAST Search History

S41	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) same (plurality or many or multiple) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) with cost$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:31
S42	141433	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) with cost$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:31
S43	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) with cost$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:31
S44	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) adj printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$ and (minimum or lowe$3) with cost$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:31
S45	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) adj printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:38

S46	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (per or each) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:32
S47	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (per or each) with printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:32
S48	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (per or each) same printer$1 and sampl$4 same (pixel$1 or dot$1) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:33
S49	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same printer$1 and sampl$4 same (pixel$1 or dot$1) and select$3 with (lowest or lower or minimum) near4 cost$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:34
S50	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and sampl$4 same (pixel$1 or dot$1) and select$3 same (lowest or lower or minimum) near4 cost$1 with printer same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:35
S51	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and sampl$4 same (pixel$1 or dot$1) and select$3 same (lowest or lower or minimum) with cost$1 with printer same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:35

S52	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and sampl$4 same (pixel$1 or dot$1) and select$3 same (lowest or lower or minimum) with cost$1 with printer and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:36
S53	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and sampl$4 same (pixel$1 or dot$1) and select$3 same (least or cheap$3 or lowest or lower or minimum) with cost$1 with printer and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:36
S54	7	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and sampl$4 same (pixel$1 or dot$1) and select$3 same (least or cheap$3 or lowest or lower or minimum) with cost$1 same printer and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 14:36
S55	9	"6516157" and regist$7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:30
S56	14	"6516157" and (input$4 or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:31
S57	6	"6516157" and (input$4 or database) and pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:35

S58	17	"1193196"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:34
S59	8	"6516157" and network with printer$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:31
S60	0	network with printers1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:36
S61	15460	network with printers	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:36
S62	15568	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and printers same network$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:37
S63	8907	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:38
S64	138	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with print$3 same network$3 and (plurality or many or multiple) with printer$1 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:06

EAST Search History

S65	122	(plurality or many or multiple) same printer$1 same (select$3 or choos$3 or pick$3) same (least or less or minimum or lowest) near3 (cost$3 or pric$3 or fee or fees or charg$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:42
S66	4	(plurality or many or multiple) same printer$1 same (select$3 or choos$3 or pick$3) same (least or less or minimum or lowest) near3 (cost$3 or pric$3 or fee or fees or charg$3)and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:42
S67	13	(plurality or many or multiple) same printer$1 same (select$3 or choos$3 or pick$3) same (least or less or minimum or lowest) with (cost$3 or pric$3 or fee or fees or charg$3)and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:51
S68	6	(plurality or many or multiple) same printer$1 and (select$3 or choos$3 or pick$3) near3 printer$1 same (least or less or minimum or lowest) with (cost$3 or pric$3 or fee or fees or charg$3)and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 20:57
S69	4	(plurality or many or multiple) same printer$1 and (select$3 or choos$3 or pick$3) near3 printer$1 same (least or less or minimum or lowest) with (cost$3 or pric$3 or fee or fees or charg$3)and "705"/$$ and (pixel$1 or dot$1 or coverage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:04
S70	2	servers and internet and printer$1 and (select$3 or choos$3 or pick$3) near3 printer$1 same (least or less or minimum or lowest) same (cost$3 or pric$3 or fee or fees or charg$3)and "705"/$$ and (pixel$1 or dot$1 or coverage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:05
S71	33	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and transmit$4 near5 image$1 same printer$1 same connect$3 with network and pric$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:15

S72	0	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and transmit$4 near5 image$1 same printer$1 and networ near3 address$3 and pric$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:16
S73	41	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and transmit$4 near5 image$1 same printer$1 and network near3 address$3 and pric$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 21:22
S74	16	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and transmit$4 near5 image$1 and printer$1 with selection and network near3 address$3 and pric$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:20
S75	6	"7016617"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:21
S76	2	"20020040334"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:22
S77	10	"6301666"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:22
S78	3	"20040204986"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:26

S79	4091	printing same (billing or payment$1 or pric$3 or charg$3 or fee or fees or cost$3) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:28
S80	2607	printing with (billing or payment$1 or pric$3 or charg$3 or fee or fees or cost$3) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:29
S81	2181	(@ad<"20030620" or @pd<"20030620" or @rlad<"20030620" or @prad<"20030620") and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:28
S82	1943	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:29
S83	370	network same printing with (billing or payment$1 or pric$3 or charg$3 or fee or fees or cost$3) and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:29
S84	292	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and S83	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:31
S85	1	network same printing with (billing or payment$1 or pric$3 or charg$3 or fee or fees or cost$3) and "705"/$$ and coverage same pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:30

S86	21	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and S83 and pixel$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/22 23:31
S87	223	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 and (plurality or many or multiple) with printer$1 and sampl$4 near5 (pixel$1 or dot$1) and (formula$2 or algorithm$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:12
S88	14	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 same (plurality or many or multiple) with printer$1 and sampl$4 near5 (pixel$1 or dot$1) and (formula$2 or algorithm$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:13
S89	16	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) and network$3 same (plurality or many or multiple) with printer$1 same (formula$2 or algorithm$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:14
S90	3227	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (formula$2 or algorithm$1) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:15
S91	566	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) same (formula$2 or algorithm$1) same (parameter$1 or function$1) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:16

S92	82	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) same (parameter$1 or function$1) same print$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:16
S93	11	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) same (parameter$1 or function$1) same print$3 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:19
S94	115	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print$3 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:20
S95	95	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print$3 same (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:22
S96	80	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print$3 with (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:23
S97	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print adj job$1 with (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:27

S98	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print$3 same job$1 with (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:27
S99	3	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) with print$3 same job$1 same (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:27
S10 0	14	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) with (formula$2 or algorithm$1) same print$3 same job$1 same (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:36
S10 1	5	"6516157" and (algorithm$1 or formula$2 or calculation$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:36
S10 2	699	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) near5 (algorithm$1 or formula$2 or calculation$1 or expression$1) same print$3 and (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:38

EAST Search History

S10 3	263	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) near5 (algorithm$1 or formula$2 or calculation$1 or expression$1) near5 print$3 and (ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:38
S10 4	57	(@ad<"20020621" or @pd<"20020621" or @rlad<"20020621" or @prad<"20020621") and (cost$3 or pric$3 or fee or fees or charg$3) near5 (algorithm$1 or formula$2 or calculation$1 or expression$1) near5 print$3 same (consumable$1 or ink or toner or sheet$1 or stencil$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/23 04:38